

Page 1 of 1

SPECIAL LOAD - NOTIFICATION TO CAPTAIN

Station of Loading MUC		Flight Number SK2658		Date 21SEP25		Aircraft Registration		Prepared by Edgard Bobb									
DANGEROUS GOODS																	
Station of Unloading	Air Waybill Number	UN or ID Number	Proper Shipping Name	Class or Division For Class 1 compat. grp.	Sub Hazard	Number of Packages	Net quantity or Transp. Ind. per package	Radio-active Mat. Categ.	PG	Emergency Phone / Special Permit Number	IMP Code	ERG	C A O	Loaded			
														ULD ID	POS		
NIL DANGEROUS GOODS																	
There is no evidence that any damaged or leaking packages containing dangerous goods have been loaded on the aircraft. (see mass and balance documentation)																	
OTHER SPECIAL LOAD																	
Station of Unloading	Air Waybill Number	Contents and Description	Number of Packages	Quantity	Supplementary Information	Code	Loaded										
							ULD ID	POS									
CPH	117-20065006	CONSOLIDATION A	1	33.0 kg		ELI	BULK										
Other Information																	
Captain's signature:				LOADING CERTIFICATION I certify that these arcticles have been loaded in accordance with all regulations and that there is no evidence of leaking or damaged packages. (to be signed by Loadcontroller) Loading Supervisor's Name and Signature:													

SPECIAL LOAD - NOTIFICATION TO CAPTAIN

Station of Loading MUC	Flight Number SK2658	Date 21SEP25	Aircraft Registration	Prepared by Edgard Bobb
----------------------------------	--------------------------------	------------------------	-----------------------	-----------------------------------

DANGEROUS GOODS				OTHER SPECIAL LOAD	
IMP Code	Name	Class	Division/Compability Group	IMP Code	Name
RCX			1		
REX			1		
RGX			1		
RXB			1		
RXC	Explosives		1	ACT	Active Temperature Controlled System
RXD			1	AOG	Aircraft on Ground
RXE			1	AVI	Live Animals
RXG			1	COL	Store between 2-8°C
RXS			1	CRT	Store at 15-25°C
RFG	Flammable Gas		2	DIP	Diplomatic Mail
RNG	Non-Flammable, Non-Toxic Gas		2	EAT	Foodstuffs
RCL	Cryogenic Liquid		2	ELI	Excepted Lithium Ion Batteries
RPG	Toxic Gas		2	ELM	Excepted Lithium Metal Batteries
RFL	Flammable Liquid		3	FIL	Undeveloped Films/Unexposed Films
RFS	Flammable Solid		4	FRO	Frozen Goods -18°C or less
RSC	Spontaneously Combustible		4	HEG	Hatching Eggs
RFW	Dangerous When Wet		4	HUM	Human Remains
ROX	Oxidizer		5	LHO	Living Human Organs/Blood
ROP	Organic Peroxide		5	MAG	Magnetized material
RPB	Toxic substance		6	MUW	Munitions of War
RIS	Infectious substance		6	PEA	Hunting trophies, skin and all articles made from or containing parts of species listed in CITES
RRE	Excepted Packages of Radioactive Material		7	PEF	Flowers
RRW	Radioactive - White		7	PEM	Meat
RRY	Radioactive - Yellow		7	PEP	Fruits and Vegetables
RCM	Corrosive substance		8	PER	Perishables
RSB	Polymeric Beads		9	PES	Seafood/Fish for human consumption
MAG	Magnetized Material		9	PIL	Pharmaceuticals
ICE	Carbon dioxide, solid (Dry Ice)		9	QRT	Quick Ramp Transfer
RMD	Miscellaneous Dangerous Goods		9	RDS	Biological substance, Category B
EBI	Lithium ion batteries excepted as per Section II of PI 965	9		REQ	Dangerous goods in excepted package
EBM	Lithium metal batteries excepted as per Section II of PI 968		9	RIG	Rigid Cargo
ELI	Lithium ion batteries excepted as per Section II of PI 966 and 967			RRE	Excepted packages of Radioactive material
ELM	Lithium metal batteries excepted as per Section II of PI 969 and 970			SPW	Strap to Pallet Worksheet
RBI	Fully regulated lithium ion batteries as per Section IA/IB, PI 965, and where applicable lithium ion batteries shipped under an approval in accordance with special provision A88 or A99	9		SWP	Sporting Weapons
RBM	Fully regulated lithium metal batteries as per Section IA/IB, PI 968, and where applicable lithium metal batteries shipped under an approval in accordance with special provision A88 or A99		9	TCP	Temperature Controlled Packaging (Pharmaceuticals)
RLI	Fully regulated lithium batteries as per Section I of PI 966-967, and where applicable lithium ion batteries shipped under an approval in accordance with special provision A88 or A99		9	TRC9G	Tall Rigid - 9G
RLM	Fully regulated lithium metal batteries as per Section I of PI 969-970, and where applicable lithium metal batteries shipped under an approval in accordance with special provision A88 or A99		9	TRCFR	Tall Rigid - with Frangible
RDS	Biological Substance, Cat. B (UN 3373)		9	TRU	Through Unit
CAO	Cargo Aircraft Only			TWS	Tiedown Worksheet
REQ	Dangerous Goods in Excepted Quantities			VAL	Valuable Cargo
				VUN	Vulnerable Shipment
				WET	Shipments of wet material not packed in watertight containers
				XPS	Express Shipment

*Codes RCX and RGX are assigned exclusively to those items identified in IATA DGR current edition as authorized on cargo aircraft. All other explosives in Division 1.3 are forbidden for air transportation and are to be assigned the code REX.

SPECIAL LOAD - NOTIFICATION TO CAPTAIN

Station of Loading MUC		Flight Number SK2658	Date 21SEP25	Aircraft Registration	Prepared by Edgard Bobb	
Drill	Inherent Risk	Risk to Aircraft	Risk to Occupants	Spill or leak	Fire- Fighting procedure	Additional Considerations
1	Explosion may cause structural failure	Fire and/or explosion	As indicated by the drill letter(s)	Use 100% oxygen; no smoking	All agents according to availability; use standard fire procedure	Possible abrupt loss of pressurization
2	Gas, non-flammable, pressure may create hazard in fire	Minimal	As indicated by the drill letter(s)	Use 100% oxygen; establish and maintain maximum ventilation for "A", "I" or "P" drill letter	All agents according to availability; use standard fire procedure	Possible abrupt loss of pressurization
3	Flammable liquid or solid	Fire and/or explosion	Smoke, fumes and heat, and as indicated by the drill letter(s)	Use 100% oxygen; establish and maintain maximum ventilation; no smoking; minimum electrics	All agents according to availability; no water on "W" drill letter	Possible abrupt loss of pressurization
4	Spontaneously combustible or pyrophoric when exposed to air	Fire and/or explosion	Smoke, fumes and heat, and as indicated by the drill letter(s)	Use 100% oxygen; establish and maintain maximum ventilation	All agents according to availability; no water on "W" drill letter	Possible abrupt loss of pressurization; minimum electrics if "F" or "H" drill letter
5	Oxidizer, may ignite other materials, may explode in heat of a fire	Fire and/or explosion, possible corrosion damage	Eye, nose and throat irritation; skin damage on contact	Use 100% oxygen; establish and maintain maximum ventilation	All agents according to availability; no water on "W" drill letter	Possible abrupt loss of pressurization
6	Toxic (poison), may be fatal if inhaled, ingested, or absorbed by skin	Contamination with toxic (poison) liquid or solid	Acute toxicity, effects may be delayed	Use 100% oxygen; establish and maintain maximum ventilation; do not touch without gloves	All agents according to availability; no water on "W" drill letter	Possible abrupt loss of pressurization; minimum electrics if "F" or "H" drill letter
7	Radiation from broken/unshielded packages	Contamination with spilled radioactive material	Exposure to radiation, and personnel contamination	Do not move packages; avoid contact	All agents according to availability	Call for a qualified person to meet the aircraft
8	Corrosive, fumes disabling if inhaled or in contact with skin	Possible corrosion damage	Eye, nose and throat irritation; skin damage on contact	Use 100% oxygen; establish and maintain maximum ventilation; do not touch without gloves	All agents according to availability; no water on "W" drill letter	Possible abrupt loss of pressurization; minimum electrics if "F" or "H" drill letter
9	No general inherent risk	As indicated by the drill letter	As indicated by the drill letter	Use 100% oxygen; establish and maintain maximum ventilation if "A" drill letter	All agents according to availability	None
10	Gas, flammable, high fire risk if any ignition source present	Fire and/or explosion	Smoke, fumes and heat, and as indicated by the drill letter	Use 100% oxygen; establish and maintain maximum ventilation; no smoking; minimum electrics	All agents according to availability	Possible abrupt loss of pressurization
11	Infectious substances may affect humans or animals if inhaled, ingested or absorbed through the mucous membrane or an open wound	Contamination with Infectious substances	Delayed infection to humans or animals	Do not touch. Minimum re-circulation and ventilation in affected area	All agents according to availability. No water on "Y" drill letter	Call for a qualified person to meet the aircraft
12	Fire, heat, smoke, toxic and flammable vapour	Fire and/or explosion	Smoke, fumes, heat	Use 100% oxygen; establish and maintain maximum ventilation	All agents according to availability. Use water if available	Possible abrupt loss of pressurization; consider landing immediately

SPECIAL LOAD - NOTIFICATION TO CAPTAIN

Station of Loading MUC	Flight Number SK2658	Date 21SEP25	Aircraft Registration	Prepared by Edgard Bobb
----------------------------------	--------------------------------	------------------------	-----------------------	-----------------------------------

Drill Letter	Additional Risk	Drill Letter	Additional Risk
A	ANAESTHETIC	N	NOXIOUS
C	CORROSIVE	P	TOXIC (POISON)
E	EXPLOSIVE	S	SPONTANEOUSLY COMBUSTIBLE OR PYROPHORIC
F	FLAMMABLE	W	IF WET GIVES OFF TOXIC (POISONOUS) OR FLAMMABLE GAS
H	HIGHLY IGNITABLE	X	OXIDIZER
i	IRRITANT / TEAR PRODUCING	Y	DEPENDING ON THE TYPE OF INFECTIOUS SUBSTANCE, THE APPROPRIATE NATIONAL AUTHORITY MAY BE REQUIRED TO QUARANTINE INDIVIDUALS, ANIMALS, CARGO AND THE AIRCRAFT
L	OTHER RISK LOW OR NONE		
M	MAGNETIC	Z	AIRCRAFT CARGO FIRE SUPPRESSION SYSTEM MAY NOT EXTINGUISH OR CONTAIN THE FIRE. CONSIDER LANDING IMMEDIATELY

Checklist for Dangerous Goods Incidents.

- Follow the appropriate aircraft emergency procedures for fire and smoke removal
- No smoking sign on
- Consider landing as soon as possible
- Consider turning off non-essential electrical power
- Determine source of smoke / fumes / fire
- For dangerous goods incidents in the passenger cabin, see cabin crew checklist and co-ordinate cockpit / cabin crew actions
- Determine emergency response drill code
- Use guidance from aircraft emergency response drill chart to help deal with incident
- If the situation permits, notify ATC of the dangerous goods being carried

After landing

- Disembark passengers and crew before opening any cargo compartment doors
- Inform ground personnel / emergency services of nature of item and where stowed
- Make appropriate entry in maintenance log