



AZ413

FRA LIN

ETD 08:10

2025-01-13

***** CONFIDENTIAL *****

AZ 413/13Jan25/FRA-LIN Reg:EIHHR OFP:4/0/1

Company Information

```

-----
--F L I G H T   N O T E S
-----

```

BOARDING POINT : FRA	DESTINATION LT: UTC PLUS 1H
----------------------	-----------------------------

AZ00413/13JAN	LC /PAX	NS.FLT	OPR			
AZ00413/13	EIHHR	FRA-LIN	130810E	0925E	E0000*E0000	
					STAND	

```
--P R E V I O U S   L E G
-----
```

AZ00416/13JAN LC /PAX NS.FLT OPR
AZ00416/13 EIHHR LIN-FRA 000000A 000000A A*A*

--N E X T L E G

AZ02031/13JAN LC /PAX NS.FLT OPR
AZ02031/13 EIHHR LIN-FCO 131030E

Company Information

--SECURITY INFORMATION

NO SECURITY INFORMATION AVAILABLE

Company Information

--AIRCRAFT DEFERRED DEFECTS

 ** EIHHR **
DEFERRED ITEMS ACCORDING MEL

AZ 413/13Jan25/FRA-LIN Reg:EIHHR OFP:4/0/1

Company Information

--T R A F F I C L O A D

AZ00413/13JAN 08:10 FRA - LIN 223AZ /EIHHR

223 00148 002/000/029

DOW

BRFZFW

AZ 413/13Jan25/FRA-LIN Reg:EIHHR OFP:4/0/1

Company Information

----- --C R E W C O M P O S I T I O N -----

CREW	FLIGHT	AZ00413/13JAN	09:10	FRA - LIN	223	AZ /EIHHR
COM	S/O	IT	MARCO ZOMPARELLI			IT410970
PIL	S/O	IT	GABRIELE DE VIRGILIS			IT409470
P2	S/O	IT	IVANO COLETTI			IT627710
AV	S/O	IT	ALESSANDRA NIGRO			IT629660
AV	S/O	IT	FRANCESCA ROMANA BRUNETTI			IT618990

DATE : 13/JAN/2025 TIME : 06:05 UTC

General Declaration

Owner Operator: ITA Airways

Marks of

Nationality and Registration: IT EIHHR Flight N°: AZ00413 Date: 13JAN/25

Departure from FRA Arrival at LIN

FLIGHT ROUTING

(Place Column always to list origin, every en-route stop and destination)

PLACE	CREW NAME	PASSPORT	BIRTH DATE
FRA - LIN	ZOMPARELLI MARCO	YB2215895	1973-10-15
FRA - LIN	DE VIRGILIS GABRIELE	YB5835283	1998-07-23
FRA - LIN	COLETTI IVANO	YB9916372	1971-01-01
FRA - LIN	NIGRO ALESSANDRA	YC1455394	1982-05-30
FRA - LIN	BRUNETTI FRANCESCA ROMANA	YA9694975	1973-06-14

Name and seat number or function of person on board with illness other than airsickness or the effects of accidents, who may be suffering from a communicable disease a fever – temperature 38°/100°F or greater – associated with one or more of the following signs or symptoms, e.g. Appearing obviously unwell; persistent coughing; impaired breathing; persistent diarrhoea; persistent vomiting; skin rash; bruising or bleeding without previous injury; or confusion of recent onset, increases the likelihood that the person is suffering a communicable disease as well as such cases of illness disembarked during a previous stop;

Crew member concerned

* To be completed only when required by the

** Not to be completed when passenger are presented and to be completed only when required by the

XX

**Authorized Agent or Pilot
in command**

AZ 413/13Jan25/FRA-LIN Reg:EIHHR OFP:4/0/1

RAIM

RAIM BRIEFING

EDDF --> LIML AZ 413 / 13-Jan-25

VALID: 13-Jan-25 08:10 - 13-Jan-25 12:42

MINIMUM NUMBER OF HEALTHY SATELLITES: 30

DURING VALIDITY OF THE BRIEFING PACKAGE FOLLOWING RAIM OUTAGES EXIST

DEPARTURE AIRPORT

EDDF / FRA FRANKFURT/MAIN / ENR AP

PRECISION	BARO AIDED	MASK ANGLE	OUTAGE
RNP 0.30	no	5.0	NO OUTAGES
RNP 1.00	no	5.0	NO OUTAGES

DESTINATION AIRPORT

LIML / LIN MILAN/LINATE / ENR AP

PRECISION	BARO AIDED	MASK ANGLE	OUTAGE
RNP 0.30	no	5.0	NO OUTAGES
RNP 1.00	no	5.0	NO OUTAGES

DESTINATION ALTERNATE(S)

LIMC / MXP MILAN/MALPENSA / ENR AP

PRECISION	BARO AIDED	MASK ANGLE	OUTAGE
RNP 0.30	no	5.0	NO OUTAGES
RNP 1.00	no	5.0	NO OUTAGES

LIME / BGY BERGAMO/ORIO AL SERIO / ENR AP

PRECISION	BARO AIDED	MASK ANGLE	OUTAGE
RNP 0.30	no	5.0	NO OUTAGES

LIMJ / GOA GENOVA/SESTRI / ENR AP

PRECISION	BARO AIDED	MASK ANGLE	OUTAGE
RNP 0.30	no	5.0	NO OUTAGES

LIP0 / VBS BRESCIA/MONTICHIARI

PRECISION	BARO AIDED	MASK ANGLE	OUTAGE
RNP 0.30	no	5.0	NO OUTAGES

ENROUTE AIRPORT(S)

LFSB / BSL BASLE/MULHOUSE

PRECISION	BARO AIDED	MASK ANGLE	OUTAGE
RNP 0.30	no	5.0	NO OUTAGES

LFST / SXB STRASBOURG/ENTZHEIM

PRECISION	BARO AIDED	MASK ANGLE	OUTAGE
RNP 0.30	no	5.0	NO OUTAGES

LSZH / ZRH ZURICH

PRECISION	BARO AIDED	MASK ANGLE	OUTAGE
RNP 0.30	no	5.0	NO OUTAGES

INTENTIONALLY LEFT BLANK

NO DATA AVAILABLE

AZ 413/13Jan25/FRA-LIN Reg:EIHHR OFP:4/0/1

OFP

OFP	AZ413/13	13JAN	EDDF/	FRA	LIML/	LIN	EDDF 18 /00325 FT
4/0/1	EIHHR (100.9)		0810/0830		0920/0925		LIML 35 /00337 FT
	A220-300	EST	/....		/....		COST INDEX
		CTOT					ROUTE AZFRALIN1
		ACT	/....		/....		GND DIST 317

ATS C/S ITY413

	LOAD	ZFW	FUADD		LW	TOW	SPEED 300-780
EST	3121	42219	0L	MAL	57379	59874	AVGE FF 1905
PLN	3121	42219	0L	PLN	44129	45723	AVGE WC P022
							AVGE ISA DEV M04
							TOTRES 1910

ACT				MACZFW	
-----	-------	-------	-------	--------	-------

RELEASE PROG 1306 1309 1312
 130125/06:05:17 OBS 1300 1300 1300

REMARKS:

FLIGHT PLAN ROUTE

-EDDF/18 F330 ANEKI2L ANEKI Y163 NATOR DCT TRA DCT RIPUS DCT GERSA
 DCT SOSON DCT ODINA ODINA3R LIML/35

ALTN LIMC	TKOF ALTN	
-----------	-----------	-------

DEP CLEARANCE

DEP ATIS

TRIP	1594	00.50		-----
				STAT FUEL SUMMARY
CONTMIN	300	00.09		-----
				NO STAT FUEL DATA
ALTN	710	00.22	LIMC	-----
FINRES	900	00.30		
PLNTOF	3504	01.52		
DIFF				
REQTOF			(CORRECTED)	
DSCRTNRY			POSS 13250L	
ACTTOF				
TAXI	182	00.20	(182)	
BLOCK			TCAP 17098	 REM FUEL AT

PREP BY: O.S. CAPTAIN ZOMPARELLI, MARCO
 (TEL: +390665627242 SITA: FCOOWAZ)
 (FLT MONITORING-TEL: +39 0665627242)

	FUEL OPERATIONAL INFORMATION					
ZFW CHANGE	UP 4000 KG	BURN	P	48	TIME	P 0000
	UP 3000 KG	BURN	P	35	TIME	P 0000
	UP 2000 KG	BURN	P	24	TIME	M 0000
	UP 1000 KG	BURN	P	12	TIME	M 0000
	DN 1000 KG	BURN	M	12	TIME	M 0001
FL CHANGE	UP 1000 FT	BURN	M	19	TIME	M 0001
	DN 1000 FT	BURN	P	17	TIME	M 0000
	DN 2000 FT	BURN	P	38	TIME	M 0001

NO TANKERING RECOMMENDED (B) LOSS
 NEXT LEG INFO NOT AVAILABLE

 TERRAIN CLEARANCE CHECK

DRIFTDOWN CHECK - TERRAIN CHECK DISABLED

DEPRESSURIZATION CHECK - TERRAIN CHECK DISABLED

AZ 413/13Jan25/FRA-LIN Reg:EIHHR OFP:4/0/1

RWY	CONF	MTOW	FLEX	V1	VR	V2	GDOT	N/A	EAI	E+WAI	A/C
-----	------	------	------	----	----	----	------	-----	-----	-------	-----

...				... /	... /	...		Y/N	Y/N	Y/N	Y/N
-----	------	-------	-------	-------	-------	-----	------	-----	-----	-----	-----

...				... /	... /	...		Y/N	Y/N	Y/N	Y/N
-----	------	-------	-------	-------	-------	-----	------	-----	-----	-----	-----

ACTOW

EOP: RWY ACC

EOP: RWY ACC

NOTES

AZ 413/13Jan25/FRA-LIN Reg:EIHHR OFP:4/0/1

TIME TTL PTO	AWY POSITION ETO ATO	MTRK TTRK MORA	DIST TTL	LVL	TP	T	W/V	TAS	G/S	PRC	REFU PLN ACT
0830	EDDF/18				39	M03	07/012				
8	ANEKI2L		43	CLB							
0008	ANEKI		0043		38	-32	06/077			275	2.6
	N4919.0	E00828.8									
0838		A41									

	EDUU RHEIN UIR										
1	Y163		2	CLB							
0009	NEKLO		0045		38	-34	06/078				2.6
	N4917.2	E00828.6									
0839		A34									

1	Y163		13	CLB							
0010	BADLI		0058		38	-41	06/088				2.5
	N4903.8	E00826.9									
0840		A31									

RVSM	ALT	SYS	LEFT:		STBY:			RIGHT:			
2	Y163		17	CLB							
0012	PABLA		0075		37	-50	06/101				2.4
	N4847.3	E00821.1									
0842		A54									

2	Y163		15	CLB						275	
0014	T O C		0090	330	37	-52	06/105			760	2.4
	N4833.0	E00815.9									
0844											

1	Y163		4					449	513		
0015	HERBI		0094		37	-55	06/104			780	2.3
	N4829.5	E00814.6									
0845		A59									

2	Y163	M167	19					449	472		
0017	NATOR	T171	0113		37	-54	06/103				2.3
	N4810.2	E00819.3									
0847		A59									

	LSAS SWITZERLAND UIR										

AZ 413/13Jan25/FRA-LIN Reg:EIHHR OFP:4/0/1

TIME TTL PTO	AWY POSITION ETO ATO	MTRK TTRK MORA	DIST TTL	LVL	TP	T	W/V	TAS	G/S	PRC	REFU PLN ACT
4 0021 0851	DCT TRA/114.3 N4741.4 E00826.2	M167 T171 A55	30 0143			37 -54	06/101	449	469		2.1
3 0024 0854	DCT RIPUS N4715.6 E00830.0	M171 T174 A59	25 0168			37 -54	06/095	451	476		2.0
2 0026 0856	DCT GERSA N4702.4 E00831.9	M171 T174 A113	14 0182			37 -54	06/091	451	474		2.0
3 0029 0859	DCT SOSON N4636.4 E00835.7	M171 T174 A140	26 0208			37 -53	06/082	451	474		1.9
1 0030 0900	DCT T O D N4628.6 E00836.8	M171 T174	8 0216			37 -53	06/079	451	474		1.8
LIMM MILAN UIR											
3 0033 0903	DCT ODINA N4606.3 E00839.9		22 0238	DSC			06/057				1.8
LIMM MILAN FIR											
17 0050	SRN3S LIML/35 N4527.0 E00916.7		79 0317	DSC							1.6

DEST ATIS

ARR CLEARANCE

LDGWT FINAL SPEED PARKING STAND

AZ CO FREQ SPECIAL ASSISTANCES

*** ROUTE TO DESTINATION ALTERNATE LIMC ***

TIME	AWY	MTRK	DIST					TAS	G/S	PRC	REFU
TTL	POSITION	TTRK	TTL	LVL	TP	T	W/V				PLN
PTO	ETO ATO	MORA									ACT
	LIML/35				34	-06	02/009				
4	DCT		18	CLB						275	
0004	T O C		0018	140	34	-16	07/046			760	1.3
	N4530.5 E00912.1										
0925											
6	DCT		34					363	378		
0010	T O D		0052		35	-17	07/045			300	1.1
	N4537.3 E00903.2										
0930											
1	DCT		8	DSC							
0011	SRN/113.7		0060				07/035			275	1.1
	N4538.8 E00901.3										
0931	 A44										
11	DCT		42	DSC							
0022	LIMC/35R		0102								0.9
	N4537.8 E00843.4										

AZ 413/13Jan25/FRA-LIN Reg:EIHHR OFP:4/0/1

*** FINRES 00900***

ALTN	MDF	DIST	LVL	WC	TIME	FUEL	VIA
LIMC/35R	1.6	102	140	P012	0022	710	DCT SRN DCT
INFO/LIPO/32	1.7	105	140	M015	0024	782	DCT ELTAR L615 NEVNI
					P0002	P72	NEVNI4E
INFO/LIME/28	1.8	121	100	M005	0026	902	DCT SRN DCT
					P0004	P192	
INFO/LIMJ/28	1.9	150	150	P011	0031	984	EKPAL6A EKPAL M859
					P0009	P274	GOLAS GOLAS4G

REMARKS

FLIGHT CREW MEMBER RANK AND NAME	ID NUMBER	T/O	LNDG
COM ZOMPARELLI, MARCO	IT410970		
PIL DE VIRGILIS, GABRIELE	IT409470		
.....			
.....			

SIGNATURE - CAPTAIN

CLIMB	T_O_C	HERBI	NATOR
100 084/023 -7	N4833.0	N4829.5	N4810.2
150 060/035 -16	E00815.9	E00814.6	E00819.3
200 063/060 -25	370 057/098 -61	370 057/097 -61	370 057/093 -60
310 061/100 -50	350 061/106 -58	350 061/106 -58	350 061/102 -58
350 061/106 -58	330 061/105 -55	330 061/104 -55	330 062/103 -54
	310 062/101 -50	310 062/101 -50	310 063/101 -50
	290 063/096 -45	290 063/097 -45	290 065/099 -46
TRA	RIPUS	GERSA	SOSON
N4741.4	N4715.6	N4702.4	N4636.4
E00826.2	E00830.0	E00831.9	E00835.7
370 058/087 -59	370 058/082 -58	370 058/078 -58	370 059/071 -57
350 060/097 -57	350 061/091 -57	350 061/087 -56	350 062/078 -55
330 063/101 -54	330 064/095 -54	330 064/091 -53	330 063/082 -53
310 066/102 -50	310 067/097 -50	310 066/091 -50	310 065/079 -50
290 068/103 -46	290 069/097 -47	290 068/090 -47	290 066/075 -48

T_O_D	DESCENT
N4628.6	390 053/062 -57
E00836.8	350 062/076 -55
370 059/069 -56	310 064/073 -51
350 062/076 -55	200 064/047 -31
330 063/080 -53	100 069/034 -11
310 065/076 -51	
290 065/071 -48	

AZ 413/13Jan25/FRA-LIN Reg:EIHHR OFP:4/0/1

ATS Flight Plan

FF EUCHZMFP EUCBZMFP
EDDFITYX

(FPL-ITY413-IS

-BCS3/M-SBDE2E3GIJ1RWY/LB1

-EDDF0810

-N0449F330 ANEKI2L ANEKI Y163 NATOR DCT TRA DCT RIPUS DCT GERSA DCT
SOSON DCT ODINA ODINA3R

-LIML0040 LIMC

-PBN/B2C2D202S1S2 D0F/250113 REG/EIHHR EET/EDUU0008 LSAS0020
LIMM0032 CODE/4CAD5A OPR/ITY PER/C RVR/200 RMK/TCAS ITY OCC
00390665627203)

Dispatch Info/Overflying Auth

D I S P A T C H B R I E F I N G I N F O AZ413 EDDF/LIML

AZ 413/13Jan25/FRA-LIN Reg:EIHHR OFP:4/0/1

Weather

EDDF --> LIML AZ413 / 13Jan2025
LIDO/WEATHER SERVICE DATE : 13Jan2025 TIME : 07:25 UTC

AIRMETs:

No Wx data available

SIGMETs:

LFMM MARSEILLE FIR

WS SIGMET M02 VALID 130600/131000 LFPW- LFMM MARSEILLE
FIR/UIR SEV MTW FCST WI N4130 E00900 - N4215 E00815 -
N4300 E00930 - N4130 E00915 - N4130 E00900 SFC/FL200
STNR NC=

Tropical Cyclone SIGMETs:

No Wx data available

Volcanic Ash SIGMETs:

No Wx data available

Tropical Cyclone Advisory:

No Wx data available

Volcanic Ash Advisory:

No Wx data available

Space Weather Advisory:

NIL

DEPARTURE AIRPORT:

EDDF/FRA FRANKFURT/MAIN

SA 130650 AUTO 07003KT CAVOK M05/M06 Q1042 NOSIG=
FT 130500 1306/1412 05005KT CAVOK
BECMG 1400/1403 VRB03KT=

DESTINATION AIRPORT:

LIML/LIN MILAN/LINATE

SA 130650 VRB01KT CAVOK M02/M04 Q1029 NOSIG=
FT 130500 1306/1406 VRB04KT CAVOK=

DESTINATION ALTERNATE:

LIMC/MXP MILAN/MALPENSA

SA 130650 03005KT CAVOK M06/M06 Q1029 NOSIG=
FT 130500 1306/1412 VRB05KT CAVOK
PROB30 TEMPO 1306/1308 4000 BR=

LIP0/VBS BRESCIA/MONTICHIARI

SA 130650 AUTO 02002KT 9999 NCD M03/M05 Q1029=
FT 130500 1306/1406 VRB04KT CAVOK=

LIME/BGY BERGAMO/ORIO AL SERIO

SA 130650 AUTO 01005KT 9999 NCD M01/M05 Q1029=
FT 130500 1306/1406 VRB05KT CAVOK=

LIMJ/GOA GENOVA/SESTRI

SA 130650 05017KT CAVOK 05/M07 Q1026=
FT 130500 1306/1406 02016KT CAVOK=

ENROUTE AIRPORT(S):

LFST/SXB STRASBOURG/ENTZHEIM

FT 130500 1306/1406 35005KT CAVOK=

LSZH/ZRH ZURICH

FT 130525 1306/1412 28004KT CAVOK TXM01/1314Z TNM05/1306Z
BECMG 1306/1308 9999 FEW025
BECMG 1308/1311 05012KT
PROB40 1310/1313 06015G25KT
BECMG 1314/1317 04004KT CAVOK
BECMG 1404/1407 9999 SCT014=

LFSB/BSL BASLE/MULHOUSE

FT 130500 1306/1406 32004KT 9000 NSC
PROB30 TEMPO 1307/1309 0300 FZFG VV///
PROB30 1309/1310 3000 BR BKN002
TEMPO 1321/1406 4000 BR
PROB40 TEMPO 1402/1406 0400 FZFG VV///=

AIRPORTLIST ENDED

NOTAM

LIDO-NOTAM-BULLETIN INCLUDES NOTAM, COMP NOTAM AND AIP-REGULATION
 VALID: 2501130810 - 2501131242 STD(EOBT)+TRIP+ALTN+3HRS
 ITY 413/13JAN OFP-NR: 4/0/1
 ROUTE: EDDF - LIML ALTN:LIMC LIPO LIME LIMJ
 N0449F330 ANEKI2L ANEKI Y163 NATOR DCT TRA DCT RIPUS DCT GERSA DCT
 SOSON DCT ODINA ODINA3R

=====

DEPARTURE AIRPORT

=====

EDDF /FRA FRANKFURT/MAIN - DETAILED INFO

+++++ RUNWAY +++++

1A20/25

RWY 25C: NEW DECLARED DISTANCES FOR INTERSECTION TAKE OFF FROM **TWY**
L9: TORA 2531 TODA 2531 ASDA 2531.

1A6358/24

WIP RWY 18 IN MNM DIST OF 75M WEST AND SOUTH FROM RCL.

1A6106/24

DIFFERENT SFC TYPE ON TDZ **RWY 25R** AND **RWY 07L** FROM **200M** TO **700M**
 FROM THR. BE AWARE OF VARIATION IN FRICTION CHARACTERISTICS.

+++++ APPROACH PROCEDURE +++++

1A59/25

ILS (Z) RWY 07L DOWNGRADED TO CAT III (ICAO CLASSIFICATION
 III/E/3) MINIMUM DH 50FT AND RVR 200M.

1A58/25

ILS RWY 25R (Z) UNDER **CAT I** COND NO AUTOLAND POSS DUE TO
 RADIATING OPPOSITE **ILS**.

1A57/25

ILS RWY 25R (Y) UNDER **CAT I** COND NO AUTOLAND POSS DUE TO
 RADIATING OPPOSITE **ILS**.

1A6668/24

ILS (Z) RWY 07L DOWNGRADED TO CAT III (ICAO CLASSIFICATION
 III/E/3) MINIMUM DH 50FT AND RVR 200M.

1A6492/24

OCA(H) RAISED AS FOLLOWS:

LNAV Z **RWY 07C** ACFT **CAT A-D** 820 (490) FT.

LNAV Y **RWY 07C** ACFT **CAT A-D** 820 (490) FT.

LNAV X **RWY 07C** ACFT **CAT A-D** 820 (490) FT.

LNAV/VNAV Z **RWY 07C** ACFT **CAT C** 706 (378), D 729 (401) FT.

LNAV Z **RWY 07R** ACFT **CAT A-D** 780 (450) FT.

LNAV Y **RWY 07R** ACFT **CAT A-D** 780 (450) FT.

DUE TO CRANE PSN 500235N 0083245E (1160 M BEYOND THR 07C,
 810M N OF RCL), JIB LENGTH 77M. ELEV 568FT / 227FT AGL.

AND DUE TO MOBILE CRANES 500233N 0083243N (1100M BEYOND THR 07C,
 760M N OF RCL), ELEV 555FT / 214FT AGL.

ALL CRANES DAY AND NIGHT MARKED.

1A5295/24

OCA(H) VALUES RAISED AS FOLLOWS:

LNAV Y **RWY 25L:** ACFT CATEGORIES A-C 810 (440) FT, D UNCHANGED.

LNAV Z **RWY 25L:** ACFT CATEGORIES A-C 810 (440) FT, D UNCHANGED.

DUE TO CRANE AT 500146N 0083444E. ELEV 555FT, MARKED AND LIGHTED.

1A1169/24

ILS RWY 25R(Z), DME IFNW:

LOC COVERAGE UP TO 17NM IN SECTOR 26DEG(L) - 25DEG(R) IN RELATION
 TO RCL, UP TO 25NM IN SECTOR 04DEG(L) - 04DEG(R) IN RELATION TO

RCL.

MMN INTERCEPTION ALT IN THESE AREAS 3000FT MSL, AT DIST OF LESS THAN 16.1NM FROM ANTENNA IT IS 2880FT MSL.

+++++ AIRPORT ++++++

1A6562/24

TWY S23 CLSD. REF AIP SUP IFR 45/24.

1A6561/24

NEW **TWY S24** IN OPERATION. REF AIP SUP IFR 45/24.

1A6452/24

JAN 07 0900-1500, 13 0800-1500

NAUHEIM **DVOR** VFM 113.75MHZ **U/S**.

1A6433/24

TWY RESTRICTION FOR A345, A359 AND B78X ACFT: LEFT TURN FM

RWY 07R ONTO **TWY M19** NOT PERMITTED.

1A6432/24

USE OF **RWY** HLDG PSN T6 FOR ACFT WITH WINGSPAN FM 36M UP TO BUT NOT INCLUDING 65M NOT PERMITTED.

1A6431/24

TWY W CLSD S OF **TWY DP2**. **TWY W9 CLSD**.

1A6429/24

TWY R CLSD BTN **TWY Y** AND **RWY 18**.

TWY Y CLSD BTN **TWY R** AND **TWY S**.

TWY R CLSD BTN **TWY S29** AND **S33**.

TWY W7 CLSD.

1A6034/24

NEW TAXI RESTRICTION FOR A380: **TWY R** BETWEEN **S11** AND **R13** NOT PERMITTED.

1F89/25

SKYSCRAPER AT PSN 500645N 0084030E FRANKFURT MAIN,

ELEV 739FT/411FT AGL. NOT MARKED.

1F4158/24

SEVERAL HIGH CRANES ERECTED AT CITY OF FRANKFURT AM MAIN.

PSN 500632N 0083832E. RADIUS 100M. MAX ELEV 964FT/648FT AGL.

DAY AND NIGHT MARKED.

SX50/24

SX0050/24 AIP SUPPLEMENT

EDDF/FRANKFURT/MAIN

VALIDITY: 26DEC24-UFN

TEMPO OBST NOT PUBLISHED IN AIP

1. 4 CRANES/N500301 E0083306/ 1389M BEYOND **RWY** END **RWY07L**, ON EXTD

RCL/ CLOSE IN OBST: NO /ELEV: 428FT (130.20M), HGT: 80FT (24.20M)

AGL/ LGT: YES/ DAY MARKING: YES/ UNTIL: 30DEC24EST

REMARKS: MISSED APCH **RWY 07L** AFFECTED.

2. 2 CRANES/N500100 E0082725/ 5830 M BEYOND **RWY**-END 25C 270 M NW

OF EXTD RCL/ CLOSE IN OBST: NO/ ELEV: 571FT (173.75M), HGT: 272FT

(82.85M) AGL/ LGT: YES/ DAY MARKING: YES/ UNTIL: 30DEC24EST

REMARKS: ALL IFR DEP **RWY25C** AFFECTED.

SX45/24

SX0045/24 AIP SUPPLEMENT

EDDF/FRANKFURT/MAIN **AD**

VALIDITY: 01DEC24 - 31OCT25

OPENING OF **TWY S24** AND CLOSING OF **TWY S23**

NEW **TWY CAN** BE USED BY ACFT UP TO A WINGSPAN OF 80M AND HAS CL AND

EDGE LIGHTS. THE EXACT CLOSING TIME AND AREAS WILL BE ANNOUNCED

VIA NOTAM

SX44/24

SX0044/24 AIP SUPPLEMENT

EDDF/FRANKFURT/MAIN **AD**

VALIDITY: 01DEC24 - 31JUL25

OPENING OF ACFT STANDS J13 AND J17
AND CLOSING OF STANDS J7, J9 AND J11
NEW STANDS CAN BE USED BY ACFT UP TO A WINGSPAN OF 36M

SX43/24

SX0043/24 AIP SUPPLEMENT
EDDF/FRANKFURT/MAIN
VALIDITY: 31OCT24-31JUL25
OPENING OF ACFT STANDS H2-H12
ACFT STANDS H2, H4, H6, H8, H10 AND H12 WILL BE RE-OPN.
ACFT STANDS H2, H8, H10 AND H12 CAN BE USED BY ACFT UP TO A
WINGSPAN OF 36 M.
ACFT STAND H4 CAN BE USED BY ACFT UP TO A WINGSPAN OF 60.30 M.
ACFT STAND H6 CAN BE USED BY ACFT UP TO A WINGSPAN OF 64 M.

SX20/24

SX0020/24 AIP SUPPLEMENT
EDDF/FRANKFURT/MAIN
CONSTRUCTION OF A PHOTOVOLTAIC SYSTEM NEAR **RWY 18**
VALIDITY: 16MAY24-MAR25
THE SYSTEM WILL BE LOCATED AT A DIST OF AT LEAST 85 M TO THE W OF
THE **RWY** AND S OF **TWY S**. TO THE E OF THE **RWY** END, THERE WILL ALSO
BE
AN INSTL WITH A LATERAL DIST OF AT LEAST 85 M FM THE **RWY**.
THE SYSTEM WILL HAVE A MAX HGT OF 3M ABV GND.

SX13/24

SX0013/24 AIP SUPPLEMENT
EDDF/FRA/FRANKFURT/MAIN
VALIDITY: 21MAR24 - 30APR25
INSTALLATION OF A RIAS AT FRANKFURT MAIN AIRPORT
TO INCREASE SAFETY WHEN XNG **RWY 07C/25C**, A **RWY** INCURSION ALERTING
SYSTEM (RIAS) HAS BEEN INSTL ON **TWYS M6** AND **M30** IN ADDN TO THE
EXISTING **CAT II/III** HLDG PSN INCLUDING STOP BAR. THIS SYSTEM IS
ACT EVEN BY THE SLIGHTEST XNG OF THE ACT STOP BAR AND ALERTS THE
PILOT. FST, THE ACFT APPROACHING THE **CAT II/III** HLDG PSN IS
DETECTED BY A
MICROWAVE SENSOR SYSTEM. IN CASE OF AN UNAUTHORISED XNG OF
THE ACT STOP BAR, FOUR VERY BRIGHT, FLG RED SFC LGT AT THE
CAT I HLDG PSN AS WELL AS TWO RED LGT EACH ON BOTH SHOULDERS OF
TWY BTN THE **CAT I** AND **CAT II/III** HLDG PSN ARE ACT. THE LGT IS
DIRECTED TOWARDS THE PILOT AND THUS ALERTS THE PILOT OF AN
IMMINENT **RWY** INCURSION. IN ADDN, THE ATC TWR CONTROLLERS ARE
ALERTED

SX11/24

SX0011/24 AIP SUPPLEMENT
EDDF/FRA/FRANKFURT/MAIN - OPN OF ACFT STANDS F224 AND F225.
VALIDITY: 21MAR24 - 31MAR25
THE ACFT STANDS F224 AND F225 WILL BE RE-OPN AFT A TEMPO CLOSURE.
ACFT STAND F224 CAN BE USED BY ACFT UP TO A WINGSPAN OF 52 M.
ACFT STAND F225 CAN BE USED BY ACFT UP TO A WINGSPAN OF 36 M.

SX10/24

SX0010/24 AIP SUPPLEMENT
EDDF/FRA/FRANKFURT/MAIN - CLOSING OF ACFT STANDS.
VALIDITY: 21MAR24 - 31MAR25
THE FLW ACFT STANDS WILL BE PERMANENTLY **CLSD**:
S401, S403, S405, S407, S409, S411, S413
S501, S503, S504, S505, S506, S507, S508
S601, S602, S603, S604.
IN ADDN, THE ADJ **TWYS S16** AND **S21** WILL ALSO BE **CLSD**.

+++++ SID/STAR +++++
1A119/25

CHANGES TO SID **RWY 25C/25L** DUE TO MAINT OF VFM **DVOR**.
GPS/FMS **RNAV** OVERLAYS REMAIN UNCHANGED. AMEND VFM **DVOR** TO READ
VFM INT. PSN REMAINS UNCHANGED.
OBOKA 2M/2H, MARUN 7M/5H AND TOBAK 7M/5H:
REPLACE LT DCT VFM BY LT ON TRACK 194DEG.
AMEND RMK 2 TO READ: AFTER PASSING 2000 **RNAV** 5 EQPT NECESSARY.
REF AD2 EDDF 5-7-11, 5-7-13 BOTH DATED 11 JUL 2024, 5-7-36, 5-7-37
BOTH EFF 15 JUL 2021.

+++++ COMPANY NOTAM +++++
C09040/22
C09040/22 ITY COMPANY NOTAM

***** FRANKFURT EDDF/FRA *****

DURING APPROACH CREW IS REQUIRED TO CONTACT THE HANDLING AGENT
FREQUENCY TO INFORM IF FUEL UPLIFT IS NEEDED OR NOT IN ORDER TO
PREVENT PENALTY CHARGES IN CASE SUPPLIER ARRIVES UNDERBOARD AND
UPLIFT IS NOT NECESSARY.

+++++ CHART NOTAM +++++
CC282/24 - CHART NOTAM

AGC, APC WIP:
REF SUP 44/2024
EST UNTIL 31 JUL 2025
IN DEC 2024, STANDS J13 AND J17 WILL BE RE-OPENED. AT THE SAME
TIME, STANDS J7, J9 AND J11 WILL BE **CLSD**.
J-PIER AVBL BTN **TWYS S8** AND S13:
PRKG STANDS AVBL: J5, J13, AND J17;
PRKG STANDS **CLSD**: J3, J7, J9, J11, J15.
NEW APN WITH **TWY S16 CLSD** AND PRKG STANDS S601-S604 **CLSD**.
FURTHER DETAILS WILL BE PUBLISHED BY NOTAM.

CC182/24 - CHART NOTAM

AGC, APC, AOI WIP SUP 28/24:
REF AIP SUP 28/24
TWY L9 CLSD.

CC134/24 - CHART NOTAM

AGC, APC RIAS:
REF AIP SUP 13/24
INSTALLATION OF **RWY** INCURSION ALERTING SYSTEM (RIAS) ON **TWYS**
M6 AND M30 IN ADDITION TO EXISTING **CAT II/III** HLDG POS
INCLUDING STOP BARS. INCREASE SAFETY WHEN CROSSING **RWY 07C/25C**.
SEE MORE DETAILS UNDER:
AOI / GENERAL / RUNWAY INCURSION ALERTING SYSTEM (RIAS)

=====

LIML /LIN MILAN/LINATE - DETAILED INFO

+++++ RUNWAY +++++
1A37/25

OUTER MARKER (**ILS**) RWY35 UNSERVICEABLE.
REF AIP **AD 2** LIML 1-13

+++++ AIRPORT +++++
1A269/25 VALID: 13-JAN-25 1000 - 14-JAN-25 1400

DAILY 1000-1400
TAXI WITH CAUTION ON **TWY 'N'** AND **'M'** DUE TO WIP
RMK: PRESENCE MEN AND EQPT
REF AIP **AD 2** LIML 2-1

1A247/25

SARONNO **VOR/DME** 'SRN' FREQ 113.70MHZ CH 84X UNSERVICEABLE.

REF AIP **AD** 2 LIML 1-14

1A214/25

VOGHERA **VOR/DME** 'VOG' FREQ 110.45MHZ CH 41Y UNSERVICEABLE

REF AIP **AD** 2 LIML 1-14

1A137/25

NEW OBSTACLE ERECTED MOBILE CRANE PENETRATING INNER HORIZONTAL SURFACE OPERATING IN AREA DEFINED BY FOLLOWING POINT PSN COORD (WGS-84) 452521.7N 0091543.3E

ELEV AMSL 161.9M/531.1FT ELEV AGL 58.9M/193.1FT **U/S**

NEW OBSTACLE ERECTED MOBILE CRANE PENETRATING INNER HORIZONTAL SURFACE OPERATING IN AREA DEFINED BY FOLLOWING POINT PSN COORD (WGS-84) 452522.3N 0091540.9E

ELEV AMSL 161.9M/531.1FT ELEV AGL 58.9M/193.1FT **U/S**

RMK: ICAO SIGNALS PROVIDED

REF AIP **AD** 2 LIML 3-1 (AOC TYPE B ML A1 5/0)

1A107/25

RWY GUARD LGT LEFT SIDE **TWY** 'G' UNSERVICEABLE

REF AIP **AD** LIML 2-5

1A89/25

APPLYING DEP PROCEDURES FOR ORDERLY MOVEMENT OF ACFT ON APN, IN ORDER TO OBTAIN THE ARDT (ACTUAL READY TIME), ON TRIAL BASIS TFC SHALL REPORT 'READY TO MOVE' TO **AD** OPR USING CALL SIGN

- 'LINATE RAMP' ON **AD**-HOC IMPLEMENTED FREQ 131.880MHZ, INSTEAD OF 'SEA APRON' ON TELEPHONE, IF DEP FM NORTH APN H24 AND FM WEST APN DRG HR 2300-0430 (2200-0330), OR

- 'WEST APN COORDINATION' (COP) ON FREQ 131.775MHZ IF DEP FM WEST APN DRG OTHER HOURS

REF AIP **AD** 2 LIML 1-15

1A9440/24

AIP SUP S25/24 IN FORCE FM 05 SET 2024 TO 23 JAN 2025

'MILANO/LINATE (LIML) **AD**: UPGRADING WORKS OF WEST APRON'.

STATUS OF WORKING PHASES:

-PHASE 1: COMPLETED

-PHASE 2: WILL NOT BE **ACTIVATED**

-PHASE 3: **ACTIVATED**

-PHASE 4: NOT **ACTIVATED** YET

SX43/24

SX0043/24 AIP SUPPLEMENT

LIML/MILAN/LINATE

VALIDITY:26DEC24 - 04SEP25

TEMPO CRANE ERECTED PENETRATING INNER HORIZONTAL SFC

PSN COORD (WGS84) 452820.2N 0091439.1E

MAX ELEV AGL 43.9M/144.0FT

MAX ELEV AMSL 163.9M/537.7FT

ROTATING JIB 52.0M/170.6FT

ICAO SIGNAL PROVIDED

REF LIML - AOC ICAO TYPE B

SX36/24

SX0036/24 AIP SUPPLEMENT

LIML/MILAN/LINATE

VALIDITY: 31OCT24-06AUG26

TEMPO CRANES AT LIML.

FOUR TEMPO CRANES ERECTED PENETRATING INNER HORIZONTAL SURFACE WITH FLW CHARACTERISTICS:

- PSN COORD (WGS84) 452442.1N 0091629.8E, ELEV 52.9M/173.5FT AGL, 150.1M/492.4FT AMSL, ROTATING JIB 60.0M/196.8FT

- PSN COORD (WGS84) 452828.7N 0091438.4E, ELEV 45.5M/149.3FT AGL, 160.3M/525.9FT AMSL, ROTATING JIB 51.0M/167.3FT

- PSN COORD (WGS84) 452827.0N 0091436.3E, ELEV 70.4M/230.9FT AGL,
185.2M/607.6FT AMSL, ROTATING JIB 48.0M/157.5FT
- PSN COORD (WGS84) 452829.1N 0091435.4E, ELEV 58.9M/193.2FT AGL,
173.8M/570.2FT AMSL, ROTATING JIB 48.0M/157.5FT
REMARK: ICAO SIGNAL PROVIDED

SX31/24

SX0031/24 AIP SUPPLEMENT
LIML/MILAN/LINATE
TEMPO CRANES
VALIDITY: 030CT24-06AUG26
CRANE 1:
COORD: N452732.8/E0091323.1 / MAX ELEV AGL: 60.9M/199.8FT
MAX ELEV AMSL: 175.9M/577.1FT / ROTATING JIB: 61.3M/201.1FT / ICAO
SGL: PROVIDED
CRANE 2:
COORD: N452732.9/E0091319.3 / MAX ELEV AGL: 55.5M/182.1FT
MAX ELEV AMSL: 170.5M/559.4FT / ROTATING JIB: 59.7M/195.9FT / ICAO
SGL: PROVIDED

SX24/24

SX0024/24 AIP SUPPLEMENT
LIML/MILAN/LINATE
VALIDITY: 05SEP24-19MAR25
LIML AD: TEMPO CRANE
COORDINATES: 452713.1N 0091437.1E
MAX ELEV AGL: 41.0M/134.5FT
MAX ELEV AMSL: 149.0M/488.8FT
ROTATING JIB: 44.0M/144.4FT
ICAO SIGNAL: PROVIDED

SX14/24

SX0014/24 AIP SUPPLEMENT
LIML/MILAN/LINATE
VALIDITY: 16MAY24-19MAR25
LIML AD: TEMPORARY CRANES
COORDINATES MAX ELEV AGL MAX ELEV AMSL ROTATING JIB
1 452626.7N 0091521.5E 63.5M/208.3FT 166.0M/544.6FT 55.0M/180.4FT
2 452631.3N 0091515.5E 66.3M/217.5FT 168.8M/553.8FT 75M/246.1FT
3 452631.0N 0091521.8E 74.5M/244.4FT 177.0M/580.7FT 75M/246.1FT
4 452627.0N 0091515.7E 70.3M/230.6FT 172.8M/566.9FT 75M/246.1FT
5 452633.7N 0091517.5E 58.0M/190.3FT 160.5M/526.6FT 60M/196.8FT
6 452633.6N 0091521.6E 65.9M/216.2FT 168.4M/552.5FT 60M/196.8FT
7 452859.5N 0091441.0E 53.3M/174.9FT 166.3M/545.6FT 55M/180.4FT
8 452857.7N 0091441.9E 42M/137.8FT 155.5M/510.2FT 155.5M/510.2FT
9 452922.0N 0091556.0E 40.4M/132.6FT 150.2M/492.8FT 50M/164.0FT
ICAO SIGNAL PROVIDED FOR ALL CRANES

SX14/22

SX0014/22 AIP SUPPLEMENT
LIML/MILAN/LINATE
VALIDITY: 14JUL22 - 01MAR25
A TEMPORARY CRANE PENETRATING THE INNER HORIZONTAL SFC WILL BE
ERECTED WITH THE FOLLOWING CHARACTERISTICS:
- COORDINATES: 452532.2N 0091523.0E
- MAX ELEV AGL: 47.5M/155.8FT
- MAX ELEV AMSL: 150.5M/493.8FT
- ROTATING JIB: 45.0M
- ICAO SIGNAL: PROVIDED

+++++ SID/STAR +++++
1A9309/24

STANDARD INSTRUMENT DEPARTURE.
SID RNAV 1 RWY 35 CAN BE PLANNED ONLY IN CASE OF LIN VOR OR SRN

VOR UNAVAILABILITY

REF AIP **AD 2** LIML 6-7 AND 6-9

+++++ COMPANY NOTAM +++++
C0169/24

C0169/24 COMPANY NOTAM

***** MILANO LINATE LIML-LIN *****

IF THE BELOW IS IN FORCE (CK RELEVANT NOTAM)

NEW OBSTACLE ERECTED CRANE PENETRATING INNER HORIZONTAL

SURFACE OPERATING IN AREA DEFINED BY FOLLOWING POINTS

PSN COORD (WGS-84) 452442.1N 0091629.8E

MAX ELEV AGL 52.9M/173.5FT

MAX ELEV AMSL 150.1M/492.4FT

ROTATING JIB 60M/196.8FT

RMK: ICAO SIGNALS PROVIDED

REF AIP AOC TYPE B NR ML 5/0

TKOF FROM **RWY 17** ARE AFFECTED.

AS TEMPORARY MEASURE USE FOLLOWING ACARS T/O POSITION CODE:

T/O POSITION

ACARS CODE

LIN 17 TEMP CRANE

17 N01

LIN 17 INT TKOF G - TEMP CRANE

17 N02

FLYSMART - DS UPDATED

THE TODC HAS ALREADY BEEN UPDATED.

RWY TABLES ARE NOT COMPLIANT AND WILL BE UPDATED ASAP.

IN CASE OF ACARS UNAVAILABILITY CONTACT F/D.

C0109/24

C0109/24 ITY COMPANY NOTAM

***** MILANO LINATE *****

REF. AIP AMDT 05/24 COD/L AND TZO/**NDB** REMOVED

OEO PROCEDURES HAVE BEEN AMENDED AS FOLLOWS:

RWY 17: UVNIB/IAF OR TZO/**VOR-DME** STANDARD EFP.

RWY 35: AT 1350FT QNH RT TO TZO/**VOR-DME** OR UVNIB/IAF.

ACCELERATION ALTITUDE: 1900FT QNH

FLYSMART - DS UPDATED

THE TODC HAS ALREADY BEEN UPDATED.

RWY TABLES ARE NOT COMPLIANT AND WILL BE UPDATED ASAP.

IN CASE OF ACARS UNAVAILABILITY CONTACT F/D.

(FSD/FCO 05/2024)

=====

DESTINATION ALTERNATE(S)

=====

LIMC /MXP MILAN/MALPENSA

+++++ RUNWAY +++++
1A9046/24

OUTER MARKER (**ILS**) **RWY 35R** ON TEST, DO NOT USE

REF AIP **AD 2** LIMC 1-17

+++++ AIRPORT +++++
1A213/25

VOGHERA **VOR/DME** 'VOG' FREQ 110.45MHZ CH 41Y UNSERVICEABLE

REF AIP **AD 2** LIMC 1-18

1A186/25

FIREFIGHTING DRILL WITH OPEN FLAMES MAY OCCUR ONLY DURING
DAYLIGHT HOURS NOT WITH LOW VISIBILITY PROCEDURES (LVP) ACT.

FIREFIGHTING SIMULATOR PSN COORD (WGS-84) 453656.5N 0084432.9E

SOUTH-EAST THR 35R

REF AIP **AD 2** LIMC 2-1

1A9100/24

MARSHALLING ASSISTENCE MANDATORY FOR ALL MOVEMENTS TOWARDS
AIRCRAFT STANDS 963, 964, 965, 968, 969 AND 970 DUE TO
UNAVAILABILITY OF VISUAL DOCKING/PARKING GUIDANCE SYSTEM.
REF AIP **AD 2** LIMC 1-19 AND 2-11

1E171/25

SARONNO **VOR/DME** 'SRN' FREQ 113.70MHZ CH 84X UNSERVICEABLE
REF AIP **AD 2** LIMC 1-17

+++++ COMPANY NOTAM +++++
C064/24

C064/24 ITY COMPANY NOTAM

***** MILANO MALPENSA-LIMC-MXP *****

RWYS DECLARED DISTANCES AND OBSTACLES WERE CHANGED
DUE TO AIRAC AMDT 03/24 AS FOLLOWS:

17L	TORA 3869M - TODA 3989M - ASDA 3869M - LDA 2977M
35R	TORA 3902M - TODA 4062M - ASDA 3902M - LDA 3919M
17R	TORA 3882M - TODA 4082M - ASDA 3882M - LDA 3920M
35L	TORA 3914M - TODA 3974M - ASDA 3914M - LDA 3515M

AS TEMPORARY MEASURE USE FOLLOWING ACARS T/O POSITION CODE:

T/O	POSITION	ACARS CODE
MXP 17L	17L	R01
MXP 35R	35R	R01
MXP 17R	17R	R01
MXP 35L	35L	R01

FLYSMART - DS UPDATED

THE TODC HAS ALREADY BEEN UPDATED.

RWY TABLES ARE NOT COMPLIANT AND WILL BE UPDATED ASAP.

IN CASE OF ACARS UNAVAILABILITY CONTACT F/D.

(NPF FCO 034/24)

LIP0 /VBS BRESCIA/MONTICHIARI

+++++ AIRPORT +++++

1B142/25

SARONNO **VOR/DME** 'SRN' FREQ 113.70MHZ CH 84X UNSERVICEABLE
REF AIP **AD 2** LIPO 1-14

1B7080/24

VILLAFRANCA **VORTAC** 'VIL' FREQ 115.80MHZ CH 105X
REMOTE STATUS INDICATOR UNSERVICEABLE
REF AIP **AD 2** LIPO 1-14

1B6236/24

ROUTINE **ILS** CHECK PERFORMED WITH UAS FROM SFC UP TO 200FT AGL WI
AREA DEFINED BY POINT JOINING FLW COORD:
452508.06N0102032.02E-452617.41N0101856.26E-452626.44N0101909.71E-
452517.22N0102044.87E-452508.06N0102032.02E

WHEN UAS OPERATIONS ARE ONGOING, MANNED AIRCRAFT REQUESTING TO
OPERATE AT THE AERODROME OR WITHIN THE AREA MAY BE SUBJECT TO
DELAY

UNTIL UAS ACTIVITY IS SUSPENDED.

INFORMATION ABOUT OCCUPATION OF THE AREA IS PROVIDED BY BRESCIA
TWR

REF AIP **AD 2** LIPO 1-19 ITEM 23 'ADDITIONAL INFORMATION'

+++++ COMPANY NOTAM +++++
C0101/24

C0101/24 ITY COMPANY NOTAM

**** BRESCIA MONTICHIARI LIPO-VBS ****

REF. AIP AMDT 05/24 EFF. 16 MAY 24

OBSTACLES SITUATION HAS BEEN REVISED.

TODC, DS AND FLYSMART HAVE ALREADY BEEN UPDATED.

RWY TABLES ARE NOT COMPLIANT AND WILL BE UPDATED ASAP
IN CASE OF ACARS UNAVAILABILITY CONTACT F/D.
(FSD/FCO 2024)

C065/24

C065/24 ITY COMPANY NOTAM

***** BRESCIA LIPO-VBS *****

DUE TO AMDT 03/24 BOTH OEO PROCEDURES AND OBSTACLES
HAVE BEEN UPDATE, AS TEMPORARY MEASURE USE FOLLOWING
ACARS T/O POSITION CODE:

T/O	POSITION	ACARS	CODE
VBS	14	14	R01
VBS	32	32	R01

OEO PROCEDURES HAVE BEEN AMENDED AS FOLLOWS:

RWY 14 - PILUD/WPT OR RT TO BSM/**VOR**, STANDARD EFP

RWY 32 - AT 1400FT QNH, LT TO PILUD/WPT OR BSM/**VOR**

ACCELERATION ALTITUDE: 2200FT QNH

FLYSMART - DS UPDATED

THE TODC HAS ALREADY BEEN UPDATED.

RWY TABLES ARE NOT COMPLIANT AND WILL BE UPDATED ASAP.

IN CASE OF ACARS UNAVAILABILITY CONTACT F/D.

LIME /BGY BERGAMO/ORIO AL SERIO

+++++ AIRPORT ++++++

1A245/25

SARONNO **VOR/DME** 'SRN' FREQ 113.70MHZ CH 84X UNSERVICEABLE.

REF AIP **AD 2** LIME 1-16

1A216/25

VOGHERA **VOR/DME** 'VOG' FREQ 110.45MHZ CH 41Y UNSERVICEABLE

REF AIP **AD 2** LIME 1-17

1A8914/24

AD CONTROL SERVICE CALL SIGN 'ORIO DELIVERY' PERMANENTLY ASSIGNED
TO FREQUENCY CH 134.105MHZ (8.33 KHZ CHANNEL SPACING)
AND AVAILABLE AT ATC DISCRETION.IT SHALL BE THE FIRST CONTACT OF
DEP AIRCRAFT WHEN SO INSTRUCTED BY ATIS AND NO MORE USED AS BACKUP
FREQUENCY FOR CALL SIGNS 'ORIO GND' OR 'ORIO TWR'.
THE ABOVE DEFINED CALL SIGN MAY BE USED DRG THE MANAGEMENT OF
ORDERLY MOV OF AIRCRAFT ON APN AS AN ALTERNATE FOR 'ORIO GROUND'
TO

PROVIDE ONLY ATC CLEARANCES AND START-UP APPROVAL

REF AIP **AD 2** LIME 1-15, 1-17, 1-19 AND ALL RELEVANT BOXES

'FREQUENCIES' ON CHARTS PUBLISHED IN AIP **AD 2** LIME 2, 4, 5 AND 6

+++++ COMPANY NOTAM ++++++

C0124/24

C0124/24 ITY COMPANY NOTAM

***** BERGAMO *****

REF. AIP AMDT A06/2024 OBSTACLE SITUATION CHANGED.

INTERSECTION TKOF **RWY 10/28** RENAMED AND DECLARED

DISTANCES CHANGED.

AS TEMPORARY MEASURE USE FOLLOWING ACARS T/O POSITION CODE:

T/O	POSITION	ACARS	CODE
BGY 10			R01
BGY 10	TKOF FROM INT AF		T01
BGY 10	TKOF FROM INT BD		T02
BGY 28			R01
BGY 28	TKOF FROM INT AA		T01
BGY 28	TKOF FROM INT AB		T02
BGY 28	TKOF FROM INT BB		T03

FLYSMART - DS UPDATED

THE TODC HAS ALREADY BEEN UPDATED.
RWY TABLES ARE NOT COMPLIANT AND WILL BE UPDATED ASAP.
 IN CASE OF ACARS UNAVAILABILITY CONTACT F/D.
 (FSD/FCO 06/2024)

C076/23

C076/23 COMPANY NOTAM

***** BERGAMO LIME-BGY *****

REF. AIP AMDT 02/23 DUE TO BEG/**VOR** AND ORI/L DISMISSION
 ONE ENGINE OUT PROCEDURES HAVE BEEN UPDATED AS FOLLOWS:

RWY 10: -RT TO ELBOD/WPT OR TIXUM/WPT STANDARD EFP

RWY 28: -AT **DME 4** BRL/**VOR** LT TO TZO/**VOR** OR ELBOD/WPT

ACCELERATION ALTITUDE: 2300FT QNH

THE TODC HAS ALREADY BEEN UPDATED.

RWY TABLES AT THE MOMENT ARE NOT COMPLIANT.

THEY WILL BE PUBLISHED ASAP.

IN CASE OF ACARS UNAVAILABILITY CONTACT F/D.

(NPF/FCO 43/23)

LIMJ /GOA GENOVA/SESTRI

+++++ RUNWAY +++++

1A230/25

PRECISION APPROACH PATH INDICATOR (PAPI) RWY28 RIGHT SIDE

UNSERVICEABLE

REF AIP **AD 2** LIMJ 1-10

+++++ AIRPORT +++++

1A218/25

VOGHERA **VOR/DME** 'VOG' FREQ 110.45MHZ CH 41Y UNSERVICEABLE

REF AIP **AD 2** LIMJ 1-14

1A8167/24

ACFT DE-ICING SERVICE NOT AVBL

REF AIP **AD 2** LIMJ 1-3

=====

ENROUTE AIRPORT(S)

=====

LFST /SXB STRASBOURG/ENTZHEIM

+++++ APPROACH PROCEDURE +++++

1A6279/24

INA **RNP** IZPIQ **RWY 05**

MAX IAS AT ST801 : 220KT

REF : AD2 LFST DATA **RWY 05** INA **RNAV** CODE

1A5200/24

INTERMEDIATE MOCA APCH **LOC** **RWY 23**:

READ 1700FT INSTEAD OF 1100FT

REF AD2 LFST IAC RWY23 FNA **ILS** CAT123 **LOC**

+++++ AIRPORT +++++

1A128/25

RFSS LVL 8 NOT PROVIDED

+++++ SID/STAR +++++

1A6281/24

STAR **RNAV** **RWY 23**

FOR BOTH PROCEDURES EPL 1C AND LUL 1C

MAX IAS AT DOQQU, ST820 AND BERUG : 250KT

REF : **AD 2** LFST DATA STAR **RWY 23** **RNAV** CODE 01

+++++ COMPANY NOTAM +++++

C0204/24

C0204/24 ITY COMPANY NOTAM

***** STRASBOURG LFST-SXB *****

IF THE BELOW IS IN FORCE (CK RELEVANT NOTAM)

TRIGGER NOTAM - PERM AIRAC AIP AMDT 09/24 WEF 05 SEP 2024.

MODIFICATION :

-REFERENCE TEMPERATURE

-APRONS

-SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM

-RWY LIGHTING

-AERODROME CHART, AOC CHART

OBSTACLES ON **RWY 05/23** HAVE BEEN UPDATED.

AS PERMANENT MEASURE USE FOLLOWING ACARS T/O POSITION CODE:

T/O POSITION	ACARS CODE
SXB 05	05 R01
SXB 23	23 R01

FLYSMART - DS UPDATED

THE TODC HAS ALREADY BEEN UPDATED.

RWY TABLES ARE NOT COMPLIANT AND WILL BE UPDATED ASAP.

IN CASE OF ACARS UNAVAILABILITY CONTACT F/D.

LSZH /ZRH ZURICH

+++++ APPROACH PROCEDURE +++++
1A17/25

RWY 14 GLS APCH NOT AVBL.

1A511/24

IAP LOC RWY 34 SUSPENDED.

+++++ CHART NOTAM +++++
CC9/25 - CHART NOTAM

* TEMPO CHARTS:

CHECK TEMPO CHARTS DISTRIBUTED FOR THIS **AD**:

-TEMPO WIP SUP 03/24

LFSB /BSL BASLE/MULHOUSE

+++++ RUNWAY +++++
1A5709/24

TKOF **RWY 33** : MNM TKOF RVR MODIFIED :

READ **RWY 33** :

CAT A : 550 M

CAT B : 550 M

CAT C : 550 M

CAT D : 550 M

REF : **AD 2** LFSB ADC 01

+++++ CHART NOTAM +++++
CC33/24 - CHART NOTAM

AFC, SID TEMPO CHARTS:

CHECK TEMPO CHARTS DISTRIBUTED FOR THIS **AD**.

REF AIP SUP 122/24:

- TEMPO AFC

- TEMPO **RNAV SIDS RWY 15**

CC31/24 - CHART NOTAM

AOI NAP FOR DEPARTURE:

NOISE ABATEMENT PROCEDURES.

RNAV SIDS: USE ICAO STANDARD NADP 1.

=====

EXTENDED AREA AROUND DEPARTURE

=====

GED GEDERN

1B8/25

GEDERN **TACAN** GED 110.80MHZ/CH45X ON MAINTENANCE.
DO NOT USE, FALSE INDICATIONS POSS.

FFM FRANKFURT MAIN

1A3170/22

FRANKFURT **DVORTAC** FFM 114.20/CH89X **DVOR**-PART NOT USABLE IN SECTOR
170DEG TO 180DEG CLOCKWISE:
0 NM - 10 NM BELOW 2800FT AMSL,
10 NM - 20 NM BELOW 5300FT AMSL,
20 NM - 30 NM BELOW 7900FT AMSL,
30 NM - 40 NM BELOW 10700FT AMSL,
40 NM - 50 NM BELOW 13700FT AMSL,
50 NM - 60 NM BELOW 16700FT AMSL,
60 NM - 70 NM BELOW 19900FT AMSL,
70 NM - 80 NM BELOW 23200FT AMSL,
80 NM - 90 NM BELOW 26700FT AMSL,
90 NM - 100 NM BELOW 30300FT AMSL.

HAN HAHN

1A6167/24

HAHN **NDB** HAN 376KHZ U/S.

EDGG LANGEN FIR

1B1127/24

KARLSRUHE UAC USES THE EUROCONTROL LOGON LIST TO STABILIZE CPDLC
PERFORMANCE. ALL LOGON LISTED ACFT SHALL LOG ON TO KARLSRUHE UAC.
DATA LINK ADDRESS OF KARLSRUHE UAC IS EDUU. NOT LOGON LISTED ACFT
SHALL NOT TRY TO LOGON TO EDUU. LOGON FORWARDING FOR NOT LOGON
LISTED ACFT WILL NOT BE PERFORMED. ALL OPERATORS ARE INVITED TO
APPLY FOR LOGON LIST ENTRY VIA THE PUBLISHED EUROCONTROL PROCESS
(AIP GERMANY PAGES GEN 3.4-70 THRU GEN 3.4-75 REFER).

MAASTRICHT UAC

AX7/24

SX0007/24 AIC RESTRICTION
CONTRAIL PREVENTION TRIAL - MAASTRICHT UAC (EDYY) AIRSPACE
VALIDITY:01AUG24-28FEB25
IN AN EFFORT TO MINIMISE THE IMPACT OF AVIATION ON THE
ENVIRONMENT, MAASTRICHT UAC WILL BE RUNNING A CONTRAIL PREVENTION
TRIAL.
FLT MAY BE TACTICALLY REQ TO DEVIATE FM THE PLANNED/REQ FL BY THE
SECT CONTROLLER USING PHRASEOLOGY: FOR CONTRAIL PREVENTION
CLIMB/DESCEND.ANY FLT FLY VIA MAASTRICHT UAC SECT BTN THESE TIMES
MAY BE CHOSEN.THE TRIAL WILL GO AHEAD DEPENDENT ON THE WEATHER
COND

ED-R GH

SX29/22

SX0029/20 AIP SUPPLEMENT
EDVV/HANNOVER UIR, EDUU/RHEIN UIR

VALIDITY: 06OCT22 - 30SEP27

FLIGHT OPERATIONS WITH MILITARY UAS

RESTRICTED AREA:

ED-R GH 470FL/660FL (CORRIDOR)

IN THE ABOVE-MENTIONED AREA, ALL FLIGHTS EXCEPT FOR UNMANNED MILITARY FLIGHTS MAY ONLY BE CONDUCTED WITH A CLEARANCE FROM THE COMPETENT AIR TRAFFIC CONTROL UNIT. REQUESTS TO CROSS THE AREA CAN BE MADE VIA RADIOTELEPHONY.

ED-D GH SEGMENT C 470FL/660FL

ED-D GH SEGMENT N 470FL/660FL

ALL PILOTS ARE URGENTLY REQUESTED TO AVOID THE DANGER AREAS.

=====

AREA ENROUTE DEPARTURE - DESTINATION

=====

LFEE REIMS FIR

1F1010/24

FOR OVERFLIGHTS OR ARRIVALS, LOGON MUST BE INITIATED BY THE PILOT, WITH SUFFICIENT NOTICE (BETWEEN 10 AND 25 MINUTES BEFORE ENTERING THE CRNA), TO ENSURE THAT THE CONNECTION IS ESTABLISHED, AND WITH THE FIRST FRENCH ACC CROSSED.

IF LOGON HAS ALREADY BEEN ESTABLISHED WITH AN ADJACENT UPSTREAM ACC

PROVIDING LOGON FORWARD, OR IF FORWARD HAS FAILED, ADVANCE NOTICE IS NOT REQUIRED.

FOR FLIGHTS DEPARTING FROM FRENCH AIRFIELDS, LOGON MUST BE INITIATED

NO LATER THAN CROSSING FL150.

IF LOGON IS IMPOSSIBLE FOR A TECHNICAL REASON KNOWN OR UNKNOWN TO THE

E PILOT, THE CREW WILL ANNOUNCE 'UNABLE CPDLC'.

REFERENCE AIP FRANCE GEN 3.4-9.

1P1/25

TREES WITHIN **RWY 32** TKOF AND **RWY 14** LDG FUNNEL

- PSN: 450145N 0051823E

- ELEV: 855FT

- HGT: 22FT

LFFF FRANCE UIR

1M62/25 VALID: 13-JAN-25 1000 - 17-JAN-25 1230

13 15 17 1000-1230, 14 16 0700-1230

FLOW MANAGEMENT LIMITED TO 4 MOVES (EXCLUDING VFR TRANSITS),

AFFECTED AREAS : R20 (B1, B2, B3, B4, B5, H1, H3, H4), 'AVORD' TMA

1.1, TMA 1.2 AND CTR. CONTACT **AD** WATCH SUPERVISOR

TO +33 2 34 34 71 36.

KRH KARLSRUHE

1C2138/22

KARLSRUHE **DVOR/DME** KRH 115.95/CH106Y **DME NOT USABLE:**

IN SECTOR 68DEG TO 315DEG CW

0 NM - 10 NM BELOW 4000 FT MSL,

10 NM - 20 NM BELOW 7200 FT MSL,

20 NM - 30 NM BELOW 10600 FT MSL,

30 NM - 40 NM BELOW 14000 FT MSL,

40 NM - 50 NM BELOW 17700 FT MSL,

50 NM - 60 NM BELOW 21400 FT MSL,
IN SECTOR 315DEG TO 68DEG CW
0 NM - 10 NM BELOW 2000 FT MSL,
10 NM - 20 NM BELOW 3300 FT MSL,
20 NM - 30 NM BELOW 4700 FT MSL,
30 NM - 40 NM BELOW 6200 FT MSL.

LBU LUBURG

1A4432/23

LUBURG **VOR/DME** LBU 109.20MHZ/CH29X **VOR** R226 NOT USABLE
BTN 30.0 AND 35.0NM.

1A4431/23

LUBURG **VOR/DME** LBU 109.20MHZ/CH29X **DME** NOT USABLE BTN
STATION AND 3.0NM.

STG STUTTGART

1C2133/22

STUTTGART **DVOR/DME** STG 116.85MHZ/CH115Y
RADIAL 166 NOT USABLE.
DVOR-PART: BEYOND 38NM AND BLW 7000FT AMSL
DME-PART: BEYOND 43NM AND BLW 5400FT AMSL.

1C2371/21

STUTTGART **DVOR/DME** STG 116.85/CH115Y **DVOR** PART ON R277 NOT USABLE
AT 29.8NM AT AND BELOW 5000FT AMSL.

1C2370/21

STUTTGART **DVOR/DME** STG 116.85/CH115Y **DVOR** PART ON R166 ONLY USABLE
UP TO 12NM AT AND BELOW 6000FT AMSL.

LOVV VIENNA FIR

1A2553/24

FOR EN-ROUTE OPERATIONS THE RESPECTIVE **VOR** SHALL BE SELECTED FOR
NAVIGATION INSTEAD OF THE **NDB** IN CASE OF HOMONYMOUS IDENTIFIERS.
THIS APPLIES TO KFT.
FLIGHT CREWS ARE ADVISED TO MONITOR THE CORRECT SELECTION OF THE
VOR FOR EN-ROUTE OPERATIONS. IN CASE THE USAGE OF THE RESPECTIVE
NDB IS REQUIRED, ATC SHALL BE INFORMED UPON INITIAL CONTACT.

1A2546/24

REF AIP AUSTRIA, GEN 3.4 ITEM 3.4.
INCREASED CPDLC USAGE WILL BE ENDEAVOURED BY ATC IN THE AREA OF
RESPONSIBILITY OF ACC WIEN AND APP LOWW.
ALL DATA LINK EQUIPPED AIRCRAFT (CPDLC ATN VDL MODE 2) ARE
REQUESTED
TO LOG ON TO ACC WIEN / APP WIEN. THE DATA LINK ADDRESS FOR ACC
WIEN/
APP WIEN IS LOVV.
FLIGHT CREWS SHALL EXPECT TO RECEIVE UPLINK MESSAGES ESPECIALLY IN
SITUATIONS OF HIGH RTF FREQUENCY LOAD AND ARE REQUESTED TO REACT
TO
THEM ASAP.

R9 HINTERRHEIN

1W2493/24

13 0800-2000, 14-16 0800-2030
R-AREA LSR9 HINTERRHEIN ACT DUE TO FRNG.
F) GND G) 25500FT AMSL

=====

EXTENDED AREA AROUND DESTINATION

=====

VOG VOGHERA

1A217/25

VOGHERA **VOR/DME** 'VOG' FREQ 110.45MHZ CH 41Y UNSERVICEABLE
REF AIP **AD 2** LIMF 1-18

1E162/25

VOGHERA **VOR/DME** 'VOG' FREQ 110.45MHZ CH 41Y UNSERVICEABLE
REF AIP ENR 4.1.1-12

SRN SARONNO

1A246/25

SARONNO **VOR/DME** 'SRN' FREQ 113.70MHZ CH 84X UNSERVICEABLE.
REF AIP **AD 2** LIMF 1-18

1B143/25

SARONNO **VOR/DME** 'SRN' FREQ 113.70MHZ CH 84X UNSERVICEABLE
REF AIP **AD 2** LIMZ 1-11

1B141/25

SARONNO **VOR/DME** 'SRN' FREQ 113.70MHZ CH 84X UNSERVICEABLE
REF AIP **AD 2** LIPX 1-16

LSAS SWITZERLAND FIR

1B1663/24

CRANE MARKED, LGTD, 463305N0063743E, 33.2M / 108.9FT AGL,
671.6M / 2203.4FT AMSL.

1B1435/24

CRANE MARKED, LGTD, 472646N0081241E, 76.6M / 251.3FT AGL, 457.5M /
1501.0FT AMSL.

LIMM MILAN FIR

1E1213/24

FOLLOWING POSTAL ADDRESS CHANGED:

- RESPONSIBLE METEOROLOGICAL SERVICES:
MINISTERO DELLA DIFESA/AERONAUTICA MILITARE
COMANDO SQUADRA AEREA STATO MAGGIORE
UFFICIO METEOROLOGIA AEROSPAZIALE
PIAZZA ERMETE NOVELLI, 1
20129 MILANO-ITALIA

TELEPHONE NUMBER: +390273905400

EMAIL: AEROSQUADRAREGIONE1.SM.MET(A)AERONAUTICA.DIFESA.IT
CERTIFIED E-MAIL: AEROSQUADRAREGIONE1(A)POSTACERT.DIFESA.IT
REF AIP GEN 3.5 PARAGRAPH 3.5.1 POINT B

- ITALIAN MILITARY METEOROLOGY DESIGNATED AUTHORITIES:
MINISTERO DELLA DIFESA/AERONAUTICA MILITARE
COMANDO SQUADRA AEREA UFFICIO METEOROLOGIA AEROSPAZIALE
PIAZZA ERMETE NOVELLI, 1
20129 MILANO

TELEPHONE NUMBER: +390273905400

CERTIFIED E-MAIL: AEROSQUADRAREGIONE1(A)POSTACERT.DIFESA.IT
REF AIP GEN 1.1 PARAGRAPH 1.1.10

- REFERENCE AUTHORITY FOR AIR TRAFFIC SERVICES PROVISION
WI AIRSPACES AND AIRPORTS UNDER MILITARY JURISDICTION:

MINISTERO DELLA DIFESA/AERONAUTICA MILITARE
 COMANDO SQUADRA AEREA
 STATO MAGGIORE
 UFFICIO SPAZIO AEREO
 PIAZZA ERMETE NOVELLI, 1
 20129 MILANO
 TELEPHONE NUMBER:+390273905325
 EMAIL: AEROSQUADRAREGIONE1.SM.SA.INF(A)AERONAUTICA.DIFESA.IT
 CERTIFIED E-MAIL: AEROSQUADRAREGIONE1(A)POSTACERT.DIFESA.IT
 REF AIP GEN 3.3 PARAGRAPH 3.3.1

1E1185/24

GROUND BASED WEATHER RADAR OBSERVATION SERVICE
 WEATHER RADAR REPORT (TAD, THUNDERSTORM AREA DETECTION) WILL
 NOT BE ISSUED DUE TO EQUIPMENT ON MAINT
 REF AIP GEN 3.5-10

1E1031/24

AREA NAVIGATION ROUTES.
 AREA NAVIGATION ROUTE 'Y652' CANCELLED.
 REF AIP ENR 3.2 (AIRAC 13/2024 - EFFECTIVE FROM 26 DEC 2024)

=====

EXTENDED AREA AROUND DESTINATION ALTERNATE AIRPORT(S)

=====

VIC VICENZA

1A83/25 VALID: 13-JAN-25 0900 - 13-JAN-25 1100

VICENZA **VOR/DME** 'VIC' FREQ 113.40MHZ CH 81X UNSERVICEABLE DUE TO
 SKED MAINT POSTPONED
 REF AIP **AD** 2 LIPZ 1-14

1A9219/24

VICENZA **VOR/DME** 'VIC' FREQ 113.40MHZ CH 81X
 REMOTE STATUS INDICATOR UNSERVICEABLE
 REF AIP **AD** 2 LIPZ 1-14

1B8625/24 VALID: 13-JAN-25 0900 - 13-JAN-25 1100

VICENZA **VOR/DME** 'VIC' FREQ 113.40MHZ CH 81X UNSERVICEABLE DUE TO
 SKED MAINT POSTPONED
 REF AIP **AD** 2 LIDT 1-10

1B8624/24 VALID: 13-JAN-25 0900 - 13-JAN-25 1100

VICENZA **VOR/DME** 'VIC' FREQ 113.40MHZ CH 81X UNSERVICEABLE DUE TO
 SKED MAINT POSTPONED
 REF AIP **AD** 2 LIPH 1-12

1B8621/24 VALID: 13-JAN-25 0900 - 13-JAN-25 1100

VICENZA **VOR/DME** 'VIC' FREQ 113.40MHZ CH 81X UNSERVICEABLE DUE TO
 SKED MAINT POSTPONED
 REF AIP **AD** 2 LIPB 1-14

1B7519/24

VICENZA **VOR/DME** 'VIC' FREQ 113.40MHZ CH 81X
 REMOTE STATUS INDICATOR UNSERVICEABLE
 REF AIP **AD** 2 LIPB 1-14

1B7517/24

VICENZA **VOR/DME** 'VIC' FREQ 113.40MHZ CH 81X
 REMOTE STATUS INDICATOR UNSERVICEABLE
 REF AIP **AD** 2 LIPH 1-12

1B7515/24

VICENZA **VOR/DME** 'VIC' FREQ 113.40MHZ CH 81X
 REMOTE STATUS INDICATOR UNSERVICEABLE
 REF AIP **AD** 2 LIDT 1-10

1E1305/24

VICENZA **VOR/DME** 'VIC' FREQ 113.40MHZ CH 81X
REMOTE STATUS INDICATOR UNSERVICEABLE
REF AIP ENR 4.1.1-12

1E1107/24 VALID: 13-JAN-25 0900 - 13-JAN-25 1100

VICENZA **VOR/DME** 'VIC' FREQ 113.40MHZ CH 81X UNSERVICEABLE DUE TO
SKED MAINT POSTPONED
REF AIP ENR 4.1.1-12

VIL VILLAFRANCA

1B7079/24

VILLAFRANCA **VORTAC** 'VIL' FREQ 115.80MHZ CH 105X
REMOTE STATUS INDICATOR UNSERVICEABLE.
REF AIP AD2 LIMP 1-13

1E1300/24

VILLAFRANCA **VORTAC** 'VIL' FREQ 115.80MHZ CH 105X
REMOTE STATUS INDICATOR UNSERVICEABLE.
REF AIP **AD** 2 LIPX 1-17

LFMM MARSEILLE FIR

1F1858/24 VALID: 13-JAN-25 0830 - 13-JAN-25 1530

MARSEILLE ACC FREQ SECTOR LS 128.325MHZ U/S, USE
MARSEILLE ACC FREQ SUPNW 124.550MHZ.

LI W4673/24

1W4673/24

MON-FRI 0700-2300 EXC JAN 06
FIRING ACTIVITY AND MIL PJE WILL TAKE PLACE WI AREA 1.5NM
RADIUS OF 440327N0094937E (MUZZERONE-S LA SPEZIA)
RMK: MIL PJE SUBJ APPROVAL BY AND CONS RDO CONTACT WITH SARZANA
TWR/ MILANO SCCAM (ITALIAN AIR FORCE COOR AND CTL SERVICE)
F) SFC G) FL060

===== END OF LIDO-NOTAM-BULLETIN =====

Crew Alerts/Bulletins

=====

CREW ALERT

=====

C09481/17 ITY COMPANY NOTAM

***** EFB BULLETIN *****

--- APPROVED SOFTWARE RELEASES ---

A350 INTEGRATED EFB:

EFB VERSION : 241301

E-ROUTE MANUAL : 5.10.0.1

FLYSMART : L7.1.4

IPAD AIR5 PORTABLE EFB:

FLYSMART EFB VERSION : 241302

IOS : 17.6.1

MPIL0T : 6.7.10

PEREGRINE : 2.0.134

DS PS ITA : 1.0.4 - DS PS CORE 3.4.3 - ITY 3349

ISSUE DATE : 03/01/2025

===== END OF EFB BULLETIN =====

C042/24 ITY CREW ALERT

***** OCC PHONE NUMBER CHANGE *****

IN THE NIGHT BETWEEN 21 AND 22FEB ALL OCC PHONE NUMBERS
WILL CHANGE FROM 0039 06 6563 XXXX TO 0039 06 6562 XXXX.
NEW OCC PH NUMBERS WILL BE:

- COMMERCIAL CUSTOMER CONTROL	0039 06 6562 7256
- CREW BRIEFING CENTER	0039 06 6562 2790
- CREW CONTROL	0039 06 6562 7232
- CREW CONTROL	0039 06 6562 7233
- CREW CONTROL	0039 06 6562 7234
- CREW CONTROL	0039 06 6562 7237
- CREW CONTROL	0039 06 6562 7238
- COORD. FLIGHT DISPATCH	0039 06 6562 4112
- FLIGHT DISPATCH LR	0039 06 6562 4065
- FLIGHT DISPATCH	0039 06 6562 7242
- FLIGHT DISPATCH	0039 06 6562 7243
- FLIGHT DISPATCH	0039 06 6562 7241
- MAINTENANCE CONTROL CENTER	0039 06 6562 4444
- MAINTENANCE CONTROL CENTER	0039 06 6562 7224
- MAINTENANCE CONTROL CENTER	0039 06 6562 4291
- MAINTENANCE CONTROL CENTER	0039 06 6562 7221
- MAINTENANCE CONTROL CENTER	0039 06 6562 1213
- MAINTENANCE CONTROL CENTER	0039 06 6562 7226
- MAINTENANCE CONTROL CENTER	0039 06 6562 7227
- MAINTENANCE CONTROL CENTER	0039 06 6562 7252
- MAINTENANCE CONTROL CENTER	0039 06 6562 1214
- OPERATIONS CONTROL	0039 06 6562 7200
- OPERATIONS CONTROL	0039 06 6562 7201
- OPERATIONS CONTROL	0039 06 6562 7202
- OPERATIONS CONTROL	0039 06 6562 7204
- OPERATIONS CONTROL	0039 06 6562 7205
- OPERATIONS CONTROL	0039 06 6562 7206
- OPERATIONS CONTROL	0039 06 6562 7208
- OPERATIONS CONTROL	0039 06 6562 7209
- OPERATIONS CONTROL	0039 06 6562 7210
- OPERATIONS CONTROL	0039 06 6562 7211

- UFFICIO FERIE PNT 0039 06 6562 0853
 - UFFICIO FERIE PNC 0039 06 6562 3653

CHANGED SATCOM NUMBER WILL BE:

- OCC_DUTY_MNGR 00390665627200
 - FLT_DISP_COORDINAT 00390665624112
 - FLT_DISP_FLT_MONIT 00390665627242
 - MCC_DUTY_CTRL 00390665624444
 - MCC_DUTY_MANAGER 00390665621213
 - OCC_L/R 00390665627204
 - MCC_DUTY_CTRL_-SAT IS DEACTIVATED

DURING THE MORNING OF 22FEB, AFTER 07.00 UTC, THE NUMBERS
 ON OFPS FOR FLIGHT DISPATCH POSITIONS WILL BE UPDATED
 ACCORDINGLY.

THE PH NUMBER FOR FLIGHT MONITORING WILL BE UPDATED IN THE
 NEXT WEEKS.
 (FSD 21FEB24)

C045/24

***** CAT II/III OPERATIONS A220 FLEET *****

AUTHORIZATION IS GRANTED FOR THE FOLLOWING DESTINATIONS/RUNWAYS

EGSS RWY 22

EGKK RWY 08R

CCI PAGES WILL BE UPDATED ASAP

NPF/FCO

C048/24 COMPANY NOTAM

***** FUEL PROVIDERS *****

REF CCI PAGES - SECTION PROVIDERS- READ THE FOLLOWING UPDATED LIST
 SCALO FORNITORE (TO BE USED IN ATL) CODIFICA ACARS (TO BE USED ACARS
 FUEL REPORT)

ABJ	AEG	AEGAE
ACC	VITOL	VITOL
AGP	CEPSA	CEPSA
AHO	WFS	WORFU
ALC	CEPSA	CEPSA
ALG	NAFTAL	NAFTA
AMM	WFS	WORFU
AMS	BP	BPINT
AOI	AIRBP	AIRBP
ARN	BP	BPINT
ATH	EKO	EKOEK
AUH	ASM	ASMAS
BAH	AEG	AEGAE
BCN	CEPSA	CEPSA
BDS	ENI	ENIIT
BEY	WFS	WORFU
BGY	AIRBP	AIRBP
BJL	AEG	AEGAE
BLQ	ENI	ENIIT
BOD	TOTAL	TOTAL
BOS	WFS	WORFU
BRI	AIRBP	AIRBP
BRU	BP	BPINT
BUD	BP	BPINT
CAG	ENI	ENIIT
CAI	MISR	MISRM
CDG	TOTAL	TOTAL
CFU	EKO	EKOEK
CGN	BP	BPINT


CIY	NAUTILUS	NAUAV
COO	AEG	AEGAE
CTA	NAUTILUS	NAUAV
DEL	BHARAT	BHARA
DOH	AEG	AEGAE
DSS	TOTAL	TOTAL
DWC	ENOC	ENOCA
DUS	BP	BPINT
DXB	BP	BPINT
EZE	AXION	AXION
FAO	CEPSA	CEPSA
FCO	LUDOIL	LUDOL
FCO	TOTAL	TOTAL
FCO	ENI	ENIIT
FCO	NAUTILUS	NAUAV
FCO	WFS	WORFU
FDF	TOTAL	TOTAL
FLR	ENI	ENIIT
FRA	TOTAL	TOTAL
GIG	BP	BPINT
GOA	ENI	ENIIT
GRO	REPSOL	REPSO
GRU	BP	BPINT
GVA	ENI	ENIIT
HAM	BP	BPINT
HER	BP	BPINT
HND	TOTAL	TOTAL
HRG	MISR	MISRM
IAD	WFS	WORFU
IBZ	REPSOL	REPSO
IST	THY OPET	THYTH
JAI	BHARAT	BHARA
JED	ALSHAMS	ALSHA
JFK	BP	BPINT
KWI	WFS	WORFU
LAX	CHTXC	CHTXC
LCY	AEG	AEGAE
LFW	AEG	AEGAE
LGG	BP	BPINT
LGW	BP	BPINT
LHR	TOTAL	TOTAL
LIN	ENI	ENIIT
LIS	CEPSA	CEPSA
LMP	AST	ASTAS
LRM	SOL	SOLSO
MAD	CEPSA	CEPSA
MAH	REPSOL	REPSO
MIA	WFS	WORFU
MLA	ENI	ENIIT
MRS	TOTAL	TOTAL
MUC	ENI	ENIIT
MXP	TOTAL	TOTAL
NAP	ENI	ENIIT
NCE	BP	BPINT
NDB	AEG	AEGAE
NKC	AEG	AEGAE
OLB	NAUTILUS	NAUAV
ORD	BP	BPINT
ORY	BP	BPINT

OSR	WFS	WORFU
OTP	BP	BPINT
PMF	AIRBP	AIRBP
PMI	CEPSA	CEPSA
PMO	ENI	ENIIT
PNL	NAUTILUS	NAUAV
PRG	TOTAL	TOTAL
PSA	ENI	ENIIT
PSR	TOTAL	TOTAL
REG	ENI	ENIIT
RHO	EKO	EKOEK
SFO	AEG	AEGAE
SID	AEG	AEGAE
SHJ	AEG	AEGAE
SKP	WFS	WORFU
SNN	AEG	AEGAE
SOF	SHELL	SHELL
SSH	MISR	MISRM
STN	BP	BPINT
STR	BP	BPINT
SUF	ENI	ENIIT
SZG	BP	BPINT
TIA	BP	BPINT
TLS	BP	BPINT
TLV	CHTXC	CHTXC
TPS	NAUTILUS	NAUAV
TRN	ENI	ENIIT
TRS	ENI	ENIIT
TUN	TOTAL	TOTAL
VBS	AIRBP	AIRBP
VCE	ENI	ENIIT
VIE	BP	BPINT
VLC	BP	BPINT
VRN	ENI	ENIIT
XRY	REPSOL	REPSO
YYZ	AEG	AEGAE
ZRH	BP	BPINT

=====
CREW BULLETIN
=====

NIL

Airline:AZ Flt-No.:413 13Jan Dep:EDDF STD:130810 STA:130925 Dest:LIML Reg:EIHHR OFP: 4/0/1



ISSUED BY WAFc LONDON
 PROVIDED BY LIDO/Flight
 FIXED TIME PROGNOSTIC CHART
 (FIX) AZ413: FRA → LIN
 FL 100-450
 VALID 06 UTC 13 Jan 2025


CB IMPLIES TS, GR, MOD OR SEV TURB AND ICE
 UNITS USED: HEIGHTS IN FLIGHT LEVELS
 CHECK SIGMET, ADVISORIES FOR TC AND VA
 AND ASHTAM AND NOTAM FOR VOLCANIC ASH


ISSUED BY WAFB LONDON
 PROVIDED BY LIDO/Flight
 FIXED TIME PROGNOSTIC CHART
 (FIX) AZ413: FRA → LIN
 FL 100-450
 VALID 12 UTC 13 Jan 2025


CB IMPLIES TS, GR, MOD OR SEV TURB AND ICE
 UNITS USED: HEIGHTS IN FLIGHT LEVELS
 CHECK SIGMET, ADVISORIES FOR TC AND VA
 AND ASHTAM AND NOTAM FOR VOLCANIC ASH


Dispatcher Maps

NO DATA AVAILABLE









Airline:AZ Flt-No.:413 13Jan Dep:EDDF STD:130810 STA:130925 Dest:LIML Reg:EIHHR OFP: 4/0/1

